

CERTIFICATE OF CONSTANCY OF PERFORMANCE

0809 - CPR - 1112

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

In-situ formed loose-fill mineral wool products for thermal insulation

presented on page 2

produced by

Steinull hf.

Skarðseyri 5
550 Sauðárkrókur, Iceland

and produced in the manufacturing plant

Steinull hf.

Skarðseyri 5
550 Sauðárkrókur, Iceland

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard


EN 14064-1:2010

under system 1 for the performances set out in this certificate are applied and that


the construction products fulfil all the prescribed requirements for these performances.

This certificate was first issued on January 22, 2015 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

Espoo January 22, 2015



Tiina Tirkkonen
Product Manager



Ritva Paalanen
Lead Assessor

Product name	Application	Installed density kg/m ³	Reaction to fire	Thermal conductivity W/mK	Designation code
PAROC XIL 001	Loft	≥ 33	A1	0,041	MW-EN14064-1-S2-MU1
	Frame, slope ≤ 45°	≥ 55	A1	0,036	MW-EN14064-1-S1-MU1
	Frame, slope > 45°	≥ 70	A1	0,036	MW-EN14064-1-S1-MU1
	Frame horizontal	≥ 55	A1	0,036	MW-EN14064-1-S1-MU1
PAROC XIL 002	Loft	≥ 40	A1	0,041	MW-EN14064-1-S2-MU1
	Frame, slope ≤ 45°	≥ 60	A1	0,036	MW-EN14064-1-S1-MU1
	Frame, slope > 45°	≥ 70	A1	0,036	MW-EN14064-1-S1-MU1
	Frame horizontal	≥ 60	A1	0,036	MW-EN14064-1-S1-MU1